

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/963,243	09/26/2001	Curt R. Eyster	LIFE063	8576
LifeScan, Inc. 1000 Gibraltar Drive, M/S 3D ATTN: Mayumi Maeda Milpitas, CA 95035			EXAMINER ALEXANDER, LYLE	
		•	ART UNIT	PAPER NUMBER
	•	,	1743	
			DATE MAILED: 08/29/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/963,243	EYSTER ET AL.				
Office Action Summary	Examiner	Art Unit				
	Lyle A Alexander	1743				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status	luna 0000					
1) Responsive to communication(s) filed on 23 J						
, <u> </u>	is action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims						
4)⊠ Claim(s) <u>1-12</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-12</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12)☐ The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
 a) ☐ The translation of the foreign language provisional application has been received. 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. 						
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal I	/ (PTO-413) Paper No(s) Patent Application (PTO-152)				
S Patent and Trademark Office						

Application/Control Number: 09/963,243 Page 2

Art Unit: 1743

Claim R j ctions - 35 USC § 112

Claims 1-12 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Independent claims 1,5 and 10 all claim "a reagent pad ... covering the receiving aperture..." which is confusing how the sample is added if the aperture is covered.

Clarification could be achieved by specifying the bottom surface of the aperture is covered.

Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-2 and 10 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Hirayaja et al.

See the appropriate paragraph of paper 7.

The 6/23/03 amendments are not fully understood in light of the above 35 USC 112 issues. As best understood, Applicants intend the reagent pad to be beneath the receiving aperture. Hirayaja et al. teach aperture(51) for receiving the sample and opposite surface (1) where measurements are made. Hirayaja et al. structure is indistinguishable from the presumed claim language of a reagent pad beneath the sample-receiving aperture.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 3 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirayaja et al.

See Hirayaja et al. supra and the appropriate paragraph of paper 7.

Claims 3-9 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirayaja et al. in view of Phillips et al.

See Hirayaja et al. supra and the appropriate paragraph of paper 7.

Response to Arguments

Applicant's arguments filed 6/23/03 have been fully considered but they are not persuasive.

Applicants' state Hirayaja et al. fails to teach "a reagent pad affixed to the support and covering the sample receiving aperture". This limitation is not understood as stated in the above 35 USC 112 second paragraph rejection. It is the best interpretation of the Office that Applicants' intend the reagent pad affixed to the support opposite the sample-receiving aperture. The Office has addressed this interpretation in the above Office action.

Applicants' state Hirayaja et al. teaches a detecting area covered by a colored cover. The Office maintains the instant claim language only requires the bottom surface to be surrounded by a reflectivity of less than about 12% at between 600 and 730nm, which is clearly met by Hirayaja et al.

Application/Control Number: 09/963,243

Art Unit: 1743

Applicants' traverse the combination of Hirayaja et al. and Phillips et al. on the basis of claims 1 and 10 not being met by Hirayaja et al. The Office maintains claims 1 and 10 have been properly rejected over Hirayaja et al. and the further combination with Phillips et al. is proper.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lyle A Alexander whose telephone number is 703-308-3893. The examiner can normally be reached on Monday, Wednesday and Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 703-308-4037. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Application/Control Number: 09/963,243

Art Unit: 1743

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0651.

Lyle A Alexander Primary Examiner Art Unit 1743 Page 5
